



1/4




FIG. 1

2/4

200  
↓

	FIELD	LENGTH (BITS)	
SERVICE 1	210 ~ EXT_CH_IND	0 OR 5	
	220 ~ ADD_SR_ID_INCL	0 OR 1	
	230 ~ NUM_ADD_SR_ID	0 OR 3	
	ADD_SR_ID	3	241a
	DRS	0 OR 1	242a
	ADD_SERVICE_OPTION_INCL	0 OR 1	243a
	ADD_SERVICE_OPTION	0 OR 16	244a
	ADD_SR_ID	3	
	DRS	0 OR 1	
	ADD_SERVICE_OPTION_INCL	0 OR 1	
SERVICE 2	ADD_SERVICE_OPTION	0 OR 16	
	...	...	
	ADD_SR_ID	3	241n
	DRS	0 OR 1	242n
	ADD_SERVICE_OPTION_INCL	0 OR 1	243n
	ADD_SERVICE_OPTION	0 OR 16	244n
	ADD_SR_ID	3	
	DRS	0 OR 1	
	ADD_SERVICE_OPTION_INCL	0 OR 1	
	ADD_SERVICE_OPTION	0 OR 16	
SERVICE N	ADD_SR_ID	3	
	DRS	0 OR 1	
	ADD_SERVICE_OPTION_INCL	0 OR 1	
	ADD_SERVICE_OPTION	0 OR 16	

FIG. 2

3/4




FIG. 3  
(PRIOR ART)

4/4




FIG. 4